

Cro-nel® & Nyvel® Many Packaging Applications



Cro-nel®, roll bar




Cro-nel®, positioning metal parts



Cro-nel®, sealing metal parts

- advertising literature
- aerospace parts
- appliances
- audio / visual equipment
- automotive equip /parts
- banking
- bark or root protection
- books / publishers
- catalog retailers
- CD's & DVD's
- ceramics
- chemicals
- china
- circuit boards
- clothing
- computers
- contracts/finished wood
- cosmetics
- e-commerce
- electrical parts
- extruded parts
- farm equipment
- floral cuttings / supplies
- frames
- furniture
- glass
- hardware
- health / beauty suppliers
- house wares
- industrial supplies
- injection molded parts
- instruments
- jewelry
- law enforcement equipment
- legal documents
- lighting fixtures
- magazines
- mail order products
- marine supplies
- medical equipment
- medical supplies
- metals
- moving industry
- office supplies
- optical goods
- outdoor furniture
- painted parts
- pharmaceuticals
- plaques
- plumbing / heating supplies
- promotion
- recreational equipment
- samples
- service parts
- signs / advertising
- software
- spooled goods
- sporting goods
- stationer finish goods
- tools
- tree wrap
- windows / doors
- wire goods



STOROPACK North American Headquarters

Cincinnati
4758 Devitt Drive
Cincinnati, Ohio 45246
Phone +1 513 874 0314
Fax +1 513 874 2955
www.storopack.us
packaging.us@storopack.com



Cro-nel® & Nyvel® are registered trademarks of Automated Solutions, LLC



Cold Seal Packaging
Cro-nel® & Nyvel® by **STOROPack**





Cro-nel® & Nyvel® by STOROpack

Advantages of using Cro-nel® & Nyvel®

Easy-to-use



Cro-nel®, position part

Common Applications



Cro-nel® and Nyvel®, fulfillment

Product Performance

- Will not adhere or transfer to the product being packaged
- Superior cohesive coating ensuring the integrity of your product in both in-house and in-transit shipping
- Tough, tear and puncture resistant outer layer
- Air tight – moisture resistant outer layer will protect your products from the outside elements
- Foam absorbs impact better than single-faced corrugate
- Products packaged using our cohesive laminates will arrive in safe and in perfect condition



Cro-nel®, seal package



Cro-nel® or Nyvel®, automotive

Easy to Use

- Our cohesive seals instantly needing no heat or external means of sealing
- No need for additional fasteners such as tape or staples
- Simplify packaging and reduce time and labor in your packaging operation

Reduces Damage in Transit

- Our cohesive wrap will lock your item in place forming an airtight seal, eliminating damage through rubbing and abrasion, offering superior cushioning for all shipping methods



Cro-nel®, ready to ship



Cro-nel®, parts

Cost Savings

- Simplify the packaging steps needed to pack your items, saving time and labor as well as saving you money overall
- By conforming to your packaged products' shape, our cohesive laminates use only the material required for product coverage and thereby reduce packaging

Cro-nel® Dispenser Pack

- All the benefits of Cro-nel® cold seal right at your fingertips with an easy-to-use Dispenser Pack – saving time, labor and the handling of roll stock cold seal
- The Dispenser Pack acts as its own packaging station with 250' of easy-to-pull Cro-nel® cold seal in the box and a straight edge for tearing – allowing you to use just the right amount of Cro-nel® for each item to be packaged – saving material costs. No staples or tape required.
- By using the Dispenser Pack tearing edge, you do not need cutting blades or any other cutting method, reducing opportunity for injury



Cro-nel® Dispenser Pack, packaging station

Specification Sheet and Product Range

Cro-nel®

Cushioned Cohesive Laminates

Paper or Linerboard + Foam + Cohesive Coating

Series	Outer Shell	Foam Thickness	Max Width	Standard Lengths
Cro-nel MD®	60# kraft paper	1/16"	72"*	1600'
Cro-nel® HD	42# Linerboard	1/16"	72"*	1400'
Cro-nel® Dispenser Pack	60# kraft paper	1/16"	12"*	250'

* Standard slit widths include 6", 8", 9", 12", & 15".

Cro-nel® Plus

Cushioned Cohesive Laminates

Film + Foam + Cohesive Coating

Series	Outer Shell	Foam Thickness	Max Width	Standard Lengths
Cro-nel® Plus Regular	.75 mil film	1/32"	72"*	600'
Cro-nel® Plus Super	2.3 mil film	1/16"	72"*	500'

Cro-nel Plus standard perf lengths include 0", 6", 8", & 12".

* Standard slit widths include 6", 8", 9", 12", & 15".

Nyvel®

Cohesive Laminates

Paper or Linerboard + Cohesive Coating

Series	Outer Shell	Foam Thickness	Max Width	Standard Lengths
Nyvel® MD	60# Kraft Paper	n/a	72"*	600'
Nyvel® HD	42# Linerboard	n/a	72"*	600'
Nyvel® XHD	56# Linerboard	n/a	72"*	500'

* Standard slit widths include 6", 8", 9", 12", & 15".