


Blast freeze your product up to 17% faster with Freezer Spacers from Cherry's



*Increase your freezing
efficiency...*


Increase product quality...

Extend product shelf life...

*Lower handling and
energy cost...*

*Have Cherry's set you up
with your new freezer
spacers today!*

Keep your product safe and improve your freezing efficiency with freezer spacers from Cherry's. Our products are ideal for cold storage facilities, meat processing plants, and anywhere else where extreme temperatures are necessary for product freshness. Millions of Cherry's freezer spacers are used each day in blast freezing operations to increase airflow, improve cold conductivity, and ensure uniform freezing throughout the pallet. We offer a great variety of different designs and capabilities—all created to keep loads stable, improve air flow, and keep products fresh and undamaged. Visit freezerspacer.com or give us a call at **800-350-0011** to learn what Cherry's can do for you!




MD Egg Crate Freezer Spacer (PEFS-MED)

Quick Overview

Medium-duty plastic freezer spacer, handling loads up to 1,800 lbs. 100% recyclable.

Product Description

This 40" x 48" egg crate design freezer spacer weighs a mere 4.5 lbs, but is capable of handling loads of up to 1,800 lbs. Constructed of polyethylene and equipped with multi-directional air flow, this spacer is built to handle the extreme temperatures of cold storage and meat processing facilities.



HD Egg Crate Freezer Spacer (PEFS-HD)

Quick Overview

Heavy-duty plastic freezer spacer, handling loads up to 3,600 lbs. 100% recyclable.

Product Description


This 40" x 48" egg crate design freezer spacer features a non-porous design, allowing for easy cleaning. Made of polyethylene, its design allows for multi-directional air flow, improving freezing efficiency. This unit is ideal for cold storage and meat processing facilities. Weighing only 5 lbs., these spacers are easy to handle while capable of carrying loads up to 3,600 lbs.



ID Strips

ID strips are used to help customers determine their freezer spacers among others. Available in a blue, yellow, green or red for our MED, HD, and MAXI models.






Maxi Freezer Spacer (PEFS-MAXI)

Quick Overview

Maxi-air flow plastic freezer spacer, handling loads up to 3,600 lbs. 100% recyclable.

Product Description

This 40" x 48" maxi freezer spacer increases freezer efficiency with both vertical and horizontal air flow design. Light-weight and durable, it is designed to handle the extreme temperature and environmental abuse of both freezing and tempering applications. Made from nonporous polyethylene, these units can be easily cleaned with either steam or pressurized water. These nestable spacers also save money on freight costs and take up less storage space.



Structural Foam Plastic Freezer Spacer (2547002 and 2547003)

Quick Overview

Heavy-duty structural foam plastic freezer spacer, handling loads up to 3,600 lbs.

Product Description

This 40" x 48" rigid freezer spacer has been structural foam molded for extra strength and durability, providing superior freezing and tempering capabilities for soft, wet, and/or dense layers. Made of HDPE, the thick lattice design supports unstable layers, improves air flow, and prevents impressions in fresh product. Ideal for freezing and/or tempering red meat, poultry, and fish, or for cooling hot filled-food items.

Related Products



Freezer Spacer Remover:

Our PSR series features hydraulic controls, ground-level entry, and special freezer ratings to remove freezer spacers and pallets from storage in mere seconds.



Freezer Spacer Washer:

Stainless steel washing equipment cleans freezer spacers, wood, plastic, and aluminum pallets, and more! Minimize the risk of food contamination and keep your equipment sanitary.



Pallet Wedge:




Safely and efficiently square stacks of pallets and freezer spacers with the Cherry's pallet wedge.



Stretch Wrapper:

Our turntable and overheard wrappers automatically wrap products with 200% pre-stretch material, stabilizing loads and reducing product damage, saving you thousands of dollars.

Buyers Guide



| Model | PEFS-MED MD Egg Crate Freezer Spacer | PEFS-HD HD Egg Crate Freezer Spacer | PEFS-MAXI Maxi Freezer Spacer | 2547002, 2547003 Structural Foam Plastic FS |
|-----------------|--|---|---|---|
| Brand | SFB Plastics | SFB Plastics | SFB Plastics | Orbis |
| Capacity | 1,800 lbs. | 3,600 lbs. | 3,600 lbs. | 3,600 lbs. |
| Size | 40" x 48" x 1.25" | 40" x 48" x 1.25" | 40" x 48" x 2.25" | 40" x 48" x 1.5" |
| Weight | 4.5 lbs. | 5 lbs. | 7.5 lbs. | 15.5 lbs. |
| Shipping class | 65 | 65 | 65 | 150 |
| Shipping stack | 500 | 350 | 200 | 56 |
| Mil thickness | 0.060 | 0.065 | 0.100 | — |
| Cureslip Option | Yes | Yes | — | — |

More Solutions from Cherry's

Automation for Inserting and Removing Freezer Spacers

High-quality automation equipment takes over the “manhandling” of pallets and product on the loading dock, allowing you to accept deliveries 24/7, speed up your unloading processes, and reduce workplace injuries.



Automation for Removing

Cherry's inline system improves warehouse processes to more efficiently use fewer employees to unload blast cells, remove freezer spacers, stretch wrap loads, and load trucks. Our in-feed parallel conveyors transition product into the PSR and discharge at 90° into a stretch wrapper—reducing pallet handling by 50%, freeing up dock space, and lowering the number of workplace injuries.

Automation for Inserting

With semi-automatic operation and automatic clamping, tilting, and conveying, our robotic systems work efficiently to save you time and money. Every layer of boxes can be moved as one unit, speeding up your stocking processes and significantly reducing your labor costs. Get a great return on your investment— average payback is within 12-18 months!

Need more help:

Give us a call at **800-350-0011**

Email sales@cherrysind.com

or visit FreezerSpacer.com



600 Morse Ave.
Elk Grove Village, IL 60007

800-350-0011

