



WORKPLACE SHELVING STORAGE RACKS SHOP FURNITURE & SPECIALTY STORAGE

Look to Tri-Boro for:

*Outstanding Quality
Affordable Pricing
& Ontime Delivery*

Online PDF Catalog Pages

Tri-Boro Shelving and Partition Corp.
300 Dominion Drive • Farmville, VA 23901
Toll Free: 1-800-633-3070
Phone: 434-315-5600
Fax: 434-315-0139

Tri-Boro Shelving & Partition Corporation
296 Wythe Avenue • Brooklyn, N.Y. 11211
Phone: 718-782-8527
Fax: 718-963-0457

**www.triboroshelving.com
e-mail: info@triboroshelving.com**

Tri-Boro's Maple Top Work Bench



STYLE A



STYLE B



STYLE C



STYLE D

The Hard Wood Maple Work Surface

The top is made from the finest clear maple, 1 3/4" thick, provides finest work surface available. Select hardwood is kiln dried, then edge glued to form a solid work bench. Sanded smooth for splinter-free use. Surface is sealed with two coats of clear vinyl sealer with a buff between coats to produce a fine "furniture finish". Resistant to water, alcohol, detergents and other solvents.

Bench Features

- Legs feature double electrical knock outs front and rear.
- Available in either adjustable or flared leg models.
- All steel components receive a three stage Pre-Treatment Process for increased durability of the hard baked enamel finish.
- Style D work bench features a smooth gliding fully enclosed steel case drawer.

STYLE A - BASIC BENCH				STYLE B		STYLE C		STYLE D	
Includes Top, Legs & Stringer				Includes Top, Legs, Stringer & Shelf		Includes Top, Legs, Stringer, Back & End Stops, Shelf		Includes Top, Legs, Stringer, Riser, Drawer, Back & End Stops, Shelf	
Size D x W	Height	Catalog No.	Wt. (lbs)	Catalog No.	Wt. (lbs)	Catalog No.	Wt.(lbs)	Catalog No.	Wt.(lbs)
MAPLE TOP - Adjustable Leg									
30" x 60"	29" - 33"	WBA3060MA	120	WBB3060MA	142	WBC3060MA	120	WBD3060MA	142
36" x 60"	29" - 33"	WBA3660MA	133	WBB3660MA	155	WBC3660MA	133	WBD3660MA	155
30" x 72"	29" - 33"	WBA3072MA	137	WBB3072MA	164	WBC3072MA	137	WBD3072MA	164
36" x 72"	29" - 33"	WBA3672MA	162	WBB3672MA	189	WBC3672MA	162	WBD3672MA	189
MAPLE TOP - Flared Leg									
30" x 60"	30"	WBA3060M30F	178	WBB3060M30F	200	WBC3060M30F	190	WBD3060M30F	230
36" x 60"	30"	WBA3660M30F	198	WBB3660M30F	220	WBC3660M30F	211	WBD3660M30F	251
30" x 72"	30"	WBA3072M30F	177	WBB3072M30F	204	WBC3072M30F	195	WBD3072M30F	238
36" x 72"	30"	WBA3672M30F	205	WBB3672M30F	232	WBC3672M30F	224	WBD3672M30F	267
30" x 60"	34"	WBA3060M34F	181	WBB3060M34F	203	WBC3060M34F	193	WBD3060M34F	233
36" x 60"	34"	WBA3660M34F	201	WBB3660M34F	223	WBC3660M34F	214	WBD3660M34F	254
30" x 72"	34"	WBA3072M34F	180	WBB3072M34F	207	WBC3072M34F	198	WBD3072M34F	241
36" x 72"	34"	WBA3672M34F	208	WBB3672M34F	235	WBC3672M34F	227	WBD3672M34F	270

Tri-Boro's Steel Top Work Bench



STYLE A



STYLE B



STYLE C



STYLE D

The Steel Work Surface

Tri-Boro presents the toughest work bench in the industry today. Steel top work bench stands up to the daily rigors of hard industrial use. Delivers maximum performance in maintenance rooms, assembly areas, or repair shops. Heavy gauge 1 3/4" thick steel construction ensures extra durability. Easily maintained and cleaned.

Bench Features

- Legs feature double electrical knock outs front and rear.
- Available in either adjustable or flared leg models.
- All steel components receive a three stage Pre-Treatment Process for increased durability of the hard baked enamel finish.
- Style D work bench features a smooth gliding fully enclosed steel case drawer.

		STYLE A - BASIC BENCH		STYLE B		STYLE C		STYLE D	
		Includes Top, Legs & Stringer		Includes Top, Legs, Stringer & Shelf		Includes Top, Legs, Stringer, Back & End Stops, Shelf		Includes Top, Legs, Stringer, Riser, Drawer, Back & End Stops, Shelf	
Size D x W	Height	Catalog No.	Wt. (lbs)	Catalog No.	Wt. (lbs)	Catalog No.	Wt.(lbs)	Catalog No.	Wt.(lbs)
STEEL TOP - Adjustable Leg									
30" x 48"	29" - 33"	WBA3048SA	93	WBB3048SA	111	WBC3048SA	93	WBD3048SA	111
36" x 48"	29" - 33"	WBA3648SA	107	WBB3648SA	125	WBC3648SA	107	WBD3648SA	125
30" x 60"	29" - 33"	WBA3060SA	103	WBB3060SA	125	WBC3060SA	103	WBD3060SA	125
36" x 60"	29" - 33"	WBA3660SA	124	WBB3660SA	146	WBC3660SA	124	WBD3660SA	146
30" x 72"	29" - 33"	WBA3072SA	118	WBB3072SA	145	WBC3072SA	118	WBD3072SA	145
36" x 72"	29" - 33"	WBA3672SA	128	WBB3672SA	155	WBC3672SA	128	WBD3672SA	155
STEEL TOP - Flared Leg									
30" x 48"	30"	WBA3048S30F	99	WBB3048S30F	117	WBC3048S30F	105	WBD3048S30F	143
36" x 48"	30"	WBA3648S30F	110	WBB3648S30F	128	WBC3648S30F	117	WBD3648S30F	155
30" x 60"	30"	WBA3060S30F	108	WBB3060S30F	130	WBC3060S30F	120	WBD3060S30F	160
36" x 60"	30"	WBA3660S30F	130	WBB3660S30F	152	WBC3660S30F	143	WBD3660S30F	183
30" x 72"	30"	WBA3072S30F	124	WBB3072S30F	151	WBC3072S30F	142	WBD3072S30F	185
36" x 72"	30"	WBA3672S30F	145	WBB3672S30F	172	WBC3672S30F	164	WBD3672S30F	207
30" x 48"	34"	WBA3048S34F	101	WBB3048S34F	119	WBC3048S34F	107	WBD3048S34F	145
36" x 48"	34"	WBA3648S34F	112	WBB3648S34F	130	WBC3648S34F	119	WBD3648S34F	157
30" x 60"	34"	WBA3060S34F	110	WBB3060S34F	132	WBC3060S34F	122	WBD3060S34F	162
36" x 60"	34"	WBA3660S34F	132	WBB3660S34F	154	WBC3660S34F	145	WBD3660S34F	185
30" x 72"	34"	WBA3072S34F	126	WBB3072S34F	153	WBC3072S34F	144	WBD3072S34F	187
36" x 72"	34"	WBA3672S34F	147	WBB3672S34F	174	WBC3672S34F	166	WBD3672S34F	209


Tri-Boro's Plastic Top Work Bench



STYLE A



STYLE B



STYLE C



STYLE D

The Plastic Work Surface

Plastic top work benches are ideal for conditions where cleanliness is critical. Designed for durability and strength, laminate face features a backer sheet to balance the construction. Two piece core is made of 3/4" heavy duty particle board, all edges are covered with phenolic laminate. The plastic top is 1 5/8" thick.

Bench Features

- Legs feature double electrical knock outs front and rear.
- Available in either adjustable or flared leg models.
- All steel components receive a three stage Pre-Treatment Process for increased durability of the hard baked enamel finish.
- Style D work bench features a smooth gliding fully enclosed steel case drawer.

STYLE A - BASIC BENCH				STYLE B		STYLE C		STYLE D	
Includes Top, Legs & Stringer				Includes Top, Legs, Stringer & Shelf		Includes Top, Legs, Stringer, Back & End Stops, Shelf		Includes Top, Legs, Stringer, Riser, Drawer, Back & End Stops, Shelf	
Size D x W	Height	Catalog No.	Wt. (lbs)	Catalog No.	Wt. (lbs)	Catalog No.	Wt.(lbs)	Catalog No.	Wt.(lbs)
PLASTIC TOP - Adjustable Leg									
30" x 60"	29" - 33"	WBA3060PA	124	WBB3060PA	146	WBC3060PA	102	WBD3060PA	124
36" x 60"	29" - 33"	WBA3660PA	138	WBB3660PA	160	WBC3660PA	113	WBD3660PA	135
30" x 72"	29" - 33"	WBA3072PA	142	WBB3072PA	169	WBC3072PA	138	WBD3072PA	165
36" x 72"	29" - 33"	WBA3672PA	166	WBB3672PA	193	WBC3672PA	162	WBD3672PA	189
PLASTIC TOP - Flared Leg									
30" x 60"	30"	WBA3060P30F	162	WBB3060P30F	184	WBC3060P30F	196	WBD3060P30F	236
36" x 60"	30"	WBA3660P30F	180	WBB3660P30F	202	WBC3660P30F	220	WBD3660P30F	260
30" x 72"	30"	WBA3072P30F	182	WBB3072P30F	209	WBC3072P30F	222	WBD3072P30F	265
36" x 72"	30"	WBA3672P30F	209	WBB3672P30F	236	WBC3672P30F	249	WBD3672P30F	292
30" x 60"	34"	WBA3060P34F	165	WBB3060P34F	187	WBC3060P34F	199	WBD3060P34F	239
36" x 60"	34"	WBA3660P34F	183	WBB3660P34F	205	WBC3660P34F	224	WBD3660P34F	264
30" x 72"	34"	WBA3072P34F	185	WBB3072P34F	212	WBC3072P34F	225	WBD3072P34F	268
36" x 72"	34"	WBA3672P34F	212	WBB3672P34F	239	WBC3672P34F	252	WBD3672P34F	295

Tri-Boro's Top Specifications

MAPLE BENCH TOP

Catalog No.	Size D x W	Wt. (lbs)
MT3060	30" x 60"	87
MT3660	36" x 60"	90
MT3072	30" x 72"	104
MT3672	36" x 72"	126

PLASTIC BENCH TOP

Catalog No.	Size D x W	Wt. (lbs)
PT3060	30" x 60"	91
PT3660	36" x 60"	105
PT3072	30" x 72"	109
PT3672	36" x 72"	130

STEEL BENCH TOP

Catalog No.	Size D x W	Wt. (lbs)
ST3048	30" x 48"	55
ST3648	36" x 48"	65
ST3060	30" x 60"	70
ST3660	36" x 60"	82
ST3072	30" x 72"	85
ST3672	36" x 72"	92

NEW!

Tri-Boro's Bench Legs

ADJUSTABLE BENCH LEG

Catalog No.	Height	Depth	Wt. (lbs)
BL30	29"-33"	30"	19
BL36	29"-33"	36"	21



FLARED BENCH LEG

Catalog No.	Size D x H	Wt. (lbs)
FL3028	30" x 28"	14
FL3032	30" x 32"	15
FL3628	36" x 28"	17
FL3632	36" x 32"	18

Tri-Boro's Portable Bench



The Portable Work Bench

The Tri-Boro Portable Work Bench saves time and effort for maintenance people, millrights, mechanics and workers on mobile production lines. Features two 5" swivel casters with brakes and two 5" swivel casters for maximum mobility and lock in place stability. Comes complete with top, shelf, stringer, back and end stops and legs.

Catalog No.	D x W x H	Wt. (lbs.)
PWB3060	30" x 60" x 34"	151.0
PWB3072	30" x 72" x 34"	174.0

Tri-Boro's Work Bench Accessories

Standard Bench Drawer for all Benches

General purpose drawer provides additional storage under any bench top.

Catalog No.	Top Depth	Size D x W	Wt. (lbs)
BD2016S-36	30" & 36"	20" x 16" x 5"	22.0



Bench Riser

Utilize space above the work bench for convenient easy storage. Keep parts and tools organized and neat. Can be added to any bench at any time.

Catalog No.	From Bench Depth	Size H x D	Wt. (lbs)
BR48	48"	12" X 10 1/2"	16.0
BR60	60"	12" X 10 1/2"	18.0
BR72	72"	12" X 10 1/2"	21.0



Back and End Stops

Prevents parts from falling off bench. Sturdily built from heavy gauge steel.

Catalog No.	Height	Size D x W	Wt. (lbs)
BE3048	3"	30" x 48"	10.0
BE3648	3"	36" x 48"	11.0
BE3060	3"	30" x 60"	12.0
BE3660	3"	36" x 60"	13.0
BE3072	3"	30" x 72"	13.0
BE3672	3"	36" x 72"	14.0



Lower Shelf

Heavy gauge steel shelf can be added to the bench at any time. Provides extra storage capacity. Can also be used as a footrest.

Catalog No.	Length	Depth	Wt. (lbs)
LS48	48"	12"	18.0
LS60	60"	12"	22.0
LS72	72"	12"	27.0



Stringer

Deep offset construction ensures maximum stability for Tri-boro's benches. Eliminates sway and adds rigidity.

Catalog No.	Length	Wt. (lbs)
ST48	48"	6.5
ST60	60"	8.0
ST72	72"	10.0

