



## Rack Guards – Upright Protectors

### The first generation of plastic rack guard

(For column cross-section 80mm-120mm)




Advantages:

1. Eye-catching color, effectively warning the forklift operator.
2. For 80-120mm uprights to protect column/upright.
3. Installation is simple, fast and can better save space, improve operational efficiency.

Model No	Height	Thickness	Width	Opening Width	Material	Weight
EBIL-P1-1	300mm	2.9mm	126mm	48mm	PVC	0.7kg
EBIL-P1-2	400mm	2.9mm	126mm	48mm	PVC	0.93kg
EBIL-P1-3	500mm	2.9mm	126mm	48mm	PVC	1.16kg
EBIL-P1-4	600mm	2.9mm	126mm	48mm	PVC	1.4kg



## The Second generation of plastic rack guard



(For Column-sectional 80-100mm)

Advantage:

1. Eye-catching colors, effectively warning the forklift operator.
2. The outer layer of PE material and inside EPE EPE combined.
3. The upper and lower bolting, anti-collision capability significantly strengthened by a recommendation on the subject of many customers.
4. Installation is simple, fast and can better save space and improve operational efficiency.

Model No	Height	thickness	Width	Opening Width	Material	weight
EBIL-P2-1	300mm	8mm	mm	93mm	PE	0.98kg
EBIL-P2-2	400mm	8mm	mm	93mm	PE	1.3kg
EBIL-P2-3	500mm	8mm	mm	93mm	PE	1.63kg
EBIL-P2-4	600mm	8mm	mm	93mm	PE	1.95kg

Disadvantage:

The installation is not easy like the first generation of plastic upright protector, and just suitable for the upright section size 80- 100mm.



Office 403, Aiqin Wan, Building 1, Hongyun Avenue, Jiangning, Nanjing, Jiangsu,  
China 211100.

Tel: 86-25-5275-7208

Fax: 86-25-5279-5881

[www.ebilmetal.com](http://www.ebilmetal.com)

## The Third generation of plastic rack guard

(For Column-sectional 80-120mm)



Advantages:

1. Eye-catching colors, effectively warning the forklift operator.
2. For 80-120mm column.
3. A single product height is 133MM, can freely install and dismantle, can be freely combined according to customer requirements height.
4. PE and PP materials, impact resistant ability.
5. Installation is simple, fast and can better save space and improve operational efficiency.

Model No	Height	thickness	Width	Opening Width	Material	weight
EBIL-P3-1	133mm	3.7mm	157mm	51mm	PE	0.43kg



Office 403, Aiqin Wan, Building 1, Hongyun Avenue, Jiangning, Nanjing, Jiangsu, China 211100.

Tel: 86-25-5275-7208

Fax: 86-25-5279-5881

[www.ebilmetal.com](http://www.ebilmetal.com)

## The Fourth generation of plastic rack guard

(For Column-Sectional below 90mm)



Advantages:

1. Eye-catching color, can effectively alert the truck operators.  
Can be bundled in the column, the following applies to 90mm column.
2. The material is PE.
3. Easy installation and removal.

Model No	Height	Length	Width	Opening Width	Material
EBIL-P4-1	550mm	mm	mm	mm	PE



# Nanjing Ebil Metal Products Co., Ltd **ebilmetal**

Office 403, Aiqin Wan, Building 1, Hongyun Avenue, Jiangning, Nanjing, Jiangsu, China 211100.

Tel: 86-25-5275-7208

Fax: 86-25-5279-5881

[www.ebilmetal.com](http://www.ebilmetal.com)

## The Fifth generation plastic rack guard



Model No	Height	Length	Width	Opening Width	Material
EBIL-P5-1	450mm			76mm	PE
EBIL-P5-2	450mm			80mm	PE
EBIL-P5-3	450mm			90mm	PE
EBIL-P5-4	450mm			102mm	PE
EBIL-P5-5	450mm			120mm	PE
EBIL-P5-6	450mm			140mm	PE



Office 403, Aiqin Wan, Building 1, Hongyun Avenue, Jiangning, Nanjing, Jiangsu,  
China 211100.

Tel: 86-25-5275-7208

Fax: 86-25-5279-5881

[www.ebilmetal.com](http://www.ebilmetal.com)

---

## **The Sixth generation plastic rack guard**



1. Rapid and easy installation, fits in seconds – No Fixings Required
2. Reliable, tough and resilient HDPE (High Density Polyethylene)
3. ‘Persistence of Shape’ ensures long and effective lifetime service
4. Virtually unbreakable in temperature above 5 degrees + operates down to -40 degrees
5. Fits all makes of pallet racking and is inter-transferable
6. Impervious to moisture, mould growth, corrosion, acid, alkaline and most solvents
7. High visibility colour as standard with other colours available to enhance your warehouse safety and branding e.g. Red (Fire Exits)
8. Affordable, flexible options to suit your budget – Invest to Save



# Nanjing Ebil Metal Products Co., Ltd **ebilmetal**

---

Office 403, Aiqin Wan, Building 1, Hongyun Avenue, Jiangning, Nanjing, Jiangsu,  
China 211100.

Tel: 86-25-5275-7208

Fax: 86-25-5279-5881

[www.ebilmetal.com](http://www.ebilmetal.com)

---

9. Reduces racking damage by as much as 80% saving you Time, Trouble and Money

10. Fully recyclable and non-toxic

<b>Model No</b>	<b>Height</b>	<b>Length</b>	<b>Width</b>	<b>Opening Width</b>	<b>Material</b>
EBIL-P6-1	600mm		8mm		HDPE