



Gravity Makes the Wine, PFlow Takes Care of the Rest

Features and Benefits

The winery uses a gravity fed technique allowing grapes, juice and wine to flow downward during fermentation. Because the facility is built into a mountainside, the top floor is the primary entry point. The PFlow lift is a critical infrastructure component. Once the wine is bottled the VRC can fit and move nine pallets of finished cases.

Industry Group:

Vertical Reciprocating Conveyors

The PFlow VRC is a very important piece of equipment in the Freestone winery, the ideal operational complement for our gravity flow winemaking process.

Justin Ennis, JPV Firestone winemaker



Wine barrels being loaded onto the Series F PFlow lift.

Joseph Phelps Vineyards (JPV) has long been known worldwide for its Insignia label of wines, featuring a signature blend of Cabernet Sauvignon and red Bordeaux varietals. For 35 years JPV had also been making Pinot Noir and Chardonnay from its Napa Valley winery.

As the business prospered, JPV determined that the quality of its Pinot Noir and Chardonnay wines would benefit if their grapes were grown in a cooler climate. In 1999, Phelps began developing 100 acres of vineyards just outside of Freestone, California on the Sonoma Coast. In 2005, construction began on a new winery which was completed in time for the 2007 harvest.

The JPV Freestone winery, built into a carved-out area of a small mountainside, was designed to accommodate gravity flow wine making. The gravity fed technique allows the grapes, juice and wine to flow downward during the fermentation process, without the use of pumps or mechanical force common to one-level cellars. This more gentle process enables the wine to naturally extract color, flavor and tannin with minimal oxidization, resulting in a better wine.

PFlow Series-F VRC

A critical infrastructure component in the three-level facility is a PFlow Series-F vertical reciprocating conveyor (VRC). It features a 10 ton lifting capacity, a 12' x 12' lift carriage, and a travel distance from the bottom floor to the top of just over 26'. Though the VRC is in service throughout the year, during the peak harvest season August through November it is in constant use for 12 to 14 hours a day.

Because the facility is built into a mountainside, the top floor is the primary entry point, and is referred to as the ground floor. Here grapes from the nearby "estate-owned" Joseph Phelps vineyards are de-stemmed and processed, then put into chutes where they fall into tanks on the second level to begin the fermentation process. The grape juice that becomes wine is gradually transferred via gravity through a set of stainless steel hard lines to the barrels on the third floor, where it is then stored during the barrel aging process.

Other than gravity, all other vertical motion involved in the winemaking process is provided by the PFlow four-post VRC. Materials moved up and down throughout the season include a fork lift, full and empty barrels and crates, vats, hoses and press pans with pomace to be disposed of after the grapes are processed. Once the wine is bottled the VRC can fit nine pallets of finished cases.

Access to each building level is available from the outside along a steep service road built into the mountainside. Vehicle travel along the steep road is a safety concern, so loaded forklifts typically enter through the third floor loading dock, and are also moved on the VRC, usually with load on-fork.

DW Nicholson, a PFlow dealer in Hayward, CA, consulted with the JPV owners and architects 18 months prior to the start of construction, helping specify the type, size, features and placement of the VRC that would best support the gravity fed winemaking process. DW Nicholson, who also installed and currently performs regular maintenance on the lift, has been involved with many PFlow VRC installations on the west coast.

Engineering Challenges

The Series-F lift is positioned flush into one of the two building corners that abuts the carved out area of the mountainside. All four posts are secured firmly in the ground, with the corner and the two adjacent walls providing the necessary additional support for three of the VRC's four posts. The fourth, outermost post is considered "naked," because it has no parallel structural support.

“The lift at JPV Freestone required a special engineering review to accommodate the seismic bracing needed in California, with a specific focus on the column that is not in proximity of a structural building component,” said Scott Flores, the DW Nicholson manager on the JPV project. “The engineering firm of Ficcadenti, Waggoner and Castle reviews all of our VRC applications that require wet stamped bracing packages in order to get the necessary permits.”

Cable actuated deck-locks were installed at the top level rather than typical air activated technology in order to honor JPV’s request not to install air hoses in the vicinity of the natural, gravity fed winemaking process.

“The PFlow VRC is a very important piece of equipment in the Freestone winery, the ideal operational complement for our gravity flow winemaking process,” said Justin Ennis, JPV Firestone winemaker who joined the winery shortly before the new facility was opened. “It keeps all aspects of our operation supplied and moving, and it adds a great element of safety by keeping the forklifts off the steep roads that access the facility.”

“With simple controls and the appropriate safety features the VRC is very easy to operate. Most members of our staff have been trained to use it, including our annual group of college interns,” added Ennis. “The VRC is well maintained and is in tremendous shape. And if we need anything DW Nicholson is always right there.”

As an interesting side note, the building was constructed by Hensel Phelps, a major national construction firm started by Joseph Phelps’ father, Hensel, in Greeley, Colorado in 1937. Joseph joined the firm in 1955, and it was incorporated in 1957, when Joseph became president and GM. Joseph stepped down in order to concentrate on the winery in 1975. Joseph’s son Bill now runs the Joseph Phelps wineries in both Napa Valley and the Sonoma Coast.

VRCs have their own national code (ASME B20.1), and are specifically exempt from the national elevator code. People are not allowed to be transported on VRCs. The JPV staff travels to various levels of the facility via an internal staircase or the outside service road.



PFLOW INDUSTRIES

6720 N. Teutonia Avenue
Milwaukee, WI 53209
(414) 352-9000
info@pflow.com
www.pflow.com